WESTERN STAMP RUBBER STAMP & MARKING DEVICE Product Catalog 2009



WESTERN STAMP, INC

7724 Burnet Avenue · Van Nuys, CA 91405-1007

Phone: 1-800-820-5014 • Fax: 1-800-266-3660 Phone: (818) 787-3308 • Fax: (818) 787-2740

Visit our Web Site: www.westernstamp.com e-mail: orders@westernstamp.com

We Accept Visa, MasterCard, and American Express



OUR GUARANTEE • OUR QUALITY • OUR SERVICE • OUR DEPENDABILITY

Western Stamp Products are made only with the Best Quality Materials and the Finest Craftsmanship. Western Stamp will never sacrifice quality for a lower price. We guarantee complete satisfaction, free replacement or full money back within 90 days from purchase date for all custom made products.

INDEX

- Page 1 Cover Page
- Page 2 This Index Page
- Page 3 FastStamp Self-Inkers Size Sheet
- Page 4 Self-Inking Die Plate Daters Size Sheet
- Page 5 "W" Pre-Inked Stamp Product Sheet
- Page 6 Pre-inked "W" Stamp Size Chart, Sizes WS-2 through WS-24
- Page 7 Pre-inked "W" Stamp Size Chart, Sizes WS-25 through WS-34
- Page 8 Pre-inked "W" Stamp Size Chart, Sizes WS-35 through WS-37 and WS-Round
- Page 9 Pre-inked "W" Stamp Size Chart, Sizes WS-38 through WS-42, WS-52 and WS-0val
- Page 10 FastLight Pre-Ink Stamp Product Sheet
- Page 11 FastLight Stamp Size Chart, Sizes 0 to 13
- Page 12 FastLight Stamp Size Chart, Sizes 14-17, 27-32
- Page 13 FastLight Stamp Size Chart, Sizes 18, 33-34, & Round 20-24
- Page 14 Inspection Stamps and Cases One-Piece Design, Neoprene Plug
- Page 15 "W" Super Stamps, Pre-inked, Non-Porous
- Page 16 Sample Stamp Impressions for Inspection Stamps
- Page 17 "RC" Lipstick Inspection Stamps, Pre-inked, Porous
- Page 18 "RC" Invisible Stamps, Pre-inked, Non-Porous and Body Stamps
- Page 19 Regular Rubber Stamp Size Selection Chart, Sizes RS-1 through RS-46
- Page 20 Regular Rubber Stamp Size Selection Chart, Sizes RS-47 through RS-81
- Page 21 Line Numbering Band Stamps and Size Selection Chart
- Page 22 Alphanumeric Band Stamps and Size Selection Chart
- Page 23 Automatic Numbering Machines Type and Size Selection Chart
- Page 24 Water- and Oil- Base Impression Inks and FastLight Inks
- Page 25 Special Formula Impression Inks (Super-Indelible, Invisible) and Reactivator
- Page 26 Ink-to-Stamp Cross Reference, Ink Sizes and Ink Colors Availability
- Page 27 Relnking and Impression Adjustment Instructions Page
- Page 28 Equipment for Machine Stamping
- Page 29 Steel Stamps for Hand and Machine Marking
- Page 30 Steel Stamp Size Selection Chart & Custom Made Branders
- Page 31 Custom Engraving Name, Desk and Wall Plates, Plaques, Awards, etc.
- Page 32 Seals, Embossers, and Peg Stamps
- Page 33 RibType Changeable Type for RibType Stamps
- Page 34 RibType TypeSet Selection Charts
- Page 35 Stamps Size Comparison vs. Popular Font Sizes
- Page 36 Popular Font Samples Comparison
- Page 37 Stamp Samples and Examples in Various Fonts









"W" FASTSTAMPS

PLASTIC SELF-INKERS SELF-INKING ... NO STAMP PAD REQUIRED AVAILABLE IN 9 SIZES AND 5 INK COLORS

Fast 1

The Best Quality Self-Inkers in the Industry

9/16" x 1-1/2" 15mm x 40mm

Fast 1.5

APPROVED FOR TRANSPORT Carl P. Insight, Wardrobe Manager

7/16" x 2-3/4"

12mm v 70mm

Fast 3

PAY TO THE ORDER OF Oil-Base Bank & Trust 24534 N. Betterstamp Road For Deposit Only Acct# 0123123789-456

15/16" x 2-3/8"

24mm x 60mm

Fast 2

JOHN SMITH 3242 Ocean Ave. #4 Long Beach, CA 91434

3/4" x 1-15/16"

20mm x 49mm

Fast 2.5

DUPLICATE ARTWORK Please Keep Originals On file

16mm x 76mm

Fast 3.5

We Accept Visa, MasterCard American Express **Discover Card**

1-1/8" x 2-3/4"

29mm x 70mm

Fast 4

QUALITY PRODUCTS CO.

7724 Burnet Avenue Los Angeles, CA 91405 PHONE: (818) 787-3308 FAX: (818) 787-2740

1-1/2" x 3"

38mm x 76mm

Fast 4.5



1" x 3-1/4"

25mm x 82mm

Fast 5



1-9/16" x 2-3/8"

40mm x 60mm







"W" FastStamp Self-inkers are Elegant for any Office Environment and are Fast and Easy to use. Simply press and stamp. "W" Faststamp Self-inkers are Laser Engraved with Genuine Rubber (not inferior plastic).

They will outlast plastic stamps by 10 to 1. Make at least 25000 Impressions without re-inking.

"W" FastStamp Self-Inkers have a built-in stamp pad. Simply remove the pad and Re-ink with any Regular Rubber Stamp Ink within 2 minutes.

"W" FastStamps - the Popular Choice for Office and Factory Use.

For Use only with "W" Oil-base or "W" Water-base Ink

"W" PLASTIC SELF-INK DIE-PLATE DATERS











"W" Fast Self-Inking Die-plate Daters are great for Daily Paper Control. Stamps the Date in Center with Copy above and below the Date.

Available in Red/Blue, Black, Red, Violet and Green.

Simply push handle down and stamp - it's that easy.

EXPERIENCE THE DIFFERENCE IN STAMPING
"W" SELF-INK DIE-PLATE DATERS OFFER CONVENIENCE
AND SPEED FOR OFFICE AND FACTORY

"W" PRE-INK STAMPS



AVAILABLE IN 5 BRILLIANT COLORS













Pre-Ink Stamps Require No Stamp Pad & are 100% Re-inkable ,000s of Impressions Per Inking (depending on impression size, conditions)

WS-1 1/2" x 1-11/16"	WS-2 3/8" x 1-3/8"	3/8" x 1- 3/4"	WS-3 3/8" x 2-1/8"	WS-4
3/8" x 2-9/16"	WS-5	WS-6 1/2" x 1-9/16"	1/2" x 2-1/8"	WS-7
1/2" x 2-3/4"	WS-8	1/2" x 3-1/4"		WS-9
WS-10 5/8" x 1-5/8"	5/8" x 2-1/8"	WS-11	5/8" x 2-5/8"	WS-12
5/8" x 3-1/16"	WS-13	5/8" x 3-5/8"		WS-14
WS-15 7/8 x 1-11/16"	7/8" x 2-1/8"	WS-16	c 3-1/16 "	WS-18
7/8" x 2-5/8"	WS-17	7/8" x 3-5/8"		WS-19
WS-20 1-1/16" x 1-11/16"	1-1/16" x 2-1/8"	WS-21	1-1/16" x 2-5/8"	WS-22
1-1/16" x 3-1/16"	WS-23	1-1/16" x 4-1/16"		WS-24

	WS-26		WS-27
1-1/4" x 3-1/16"	ļ	1-1/4" x 4-1/16"	
11,1. 20 1,10		WS-30	WS-28
We er			-
WS-25			
1-1/4" x 2-1/8"	1-11/16" x 3-1/16"	" 1-11/16" x 2-1/8"	
1-1/4 X 2-1/0			/S-31
	WS-32		
			43.00
		WS-29	
2-1/16" x 2-1/8"			
	WS-33]	
		1-11/16" x 2-5/8"	
			WS-34
2-1/16" x 3-1/16"			
		-	
		2-1/16" x 4"	







Self-Inking **Stamps**







The Most Advanced Pre-inked Stamp Technology **Better Print Quality - Faster Inking**

Available in 33 Sizes and 3 Handle Colors: Burgundy, Soft Green, and Blue






FL-9 (1-1/4" x 3" - 32mm x 78mm)

Mead Clark Truss CO. Healdsburg, CA Load: 16 - 9 - 0 - 5 Spacing: 24" o.c.

FL-8 (1-1/4" x 2-1/8" - 32mm x 55mm)







FL-R22 (2" - 51mm Round)


FastLight Ink Colors: Black, Red, Blue, Violet, Green

Only for use with FastLight Oil-base Ink (See Inks Page for more Information)

- Elegant High Quality Mounts
- Very Smooth Mechanism, No Squeek
- Up to 50,000 Quality Impressions
- Material resists Warping and Doming
- Ink Cartridges in 5 Colors
- Easily Reinkable in Just Seconds



Stamp impression must fit within inner, dotted border. For best results, give impression an additional 1/8" margin from inner border.





Size Chart, Sizes 14 - 17 & 27 - 32

Stamp impression *must fit* within inner, dotted border. For best results, give impression an additional 1/8" margin from inner border.








Size Chart, Sizes 18, 33-34, & R20-R24


Stamp impression *must fit* within inner, dotted border. For best results, give impression an additional 1/8" margin from inner border.














NEOPRENE" INSPECTION STAMPS

WESTERN STAMP The most trusted name in **Inspection Stamps**



SOLID NEOPRENE PLUG

All One Piece - Cannot Come Apart

Precision Engraved To Your Exact Specifications

Available in 5 Sizes and Two Styles.

Western Deluxe with Brass Cap, Western PC with Plastic Cap. Available with or without keyhole and keychain.

PRE-INKED "NON-POROUS"

FOR ALL "NON-POROUS" SURFACES

"The "W" Super Stamp offers Convenience and Speed without the use of a stamp pad" Invented and Manufactured by "Western Stamp"

BEFORE USING, RE-INKS WITH JUST A FEW DROPS

This will rejuvinate the old ink and you will be ready for a minimum of 2000 Impressions. Inking is easy and takes less then one minute. Place Stamp FACE UP and pour a FEW DROPS on the surface. Repeat 2 more times. The stamp can be reinked countless times.

- Use W-Super Ink Only - Shake Ink well before use.

Black, Red, Blue, White, Yellow, Green **COLORS AVAILABLE:** APPROXIMATELY DRIES IN 20 **SECONDS**

MAKES A PERMANENT IMPRESSION ON Metal, Plastic, Glass, Cellophane, Gloss Paper, Photos Clean Surface First - DO NOT USE ON DIRTY. WET OR OILY SURFACES

USE "W-SUPER INK" ONLY



ADJUSTABLE RE-INKABLE Includes 1/2 oz. bottle of ink.

*NOTE: Store Stamp Face Down with Cap on when not in use.

NSPECTION

We can make any Border, any Size, any Design to your exact specifications. Simply fax us a sketch or stamp impression and specify any changes required such as stamp numbers, initials etc.

We do not require camera ready art; required only for special logos.

Measured Top to Bottom



Height



Overall Height



Measured by **Largest Distance**

SATCO B-64-3 1/4"























5/16"































































































PRE-INKED "RC" LIPSTICK INSPECTION STAMPS


FOR ALL POROUS SURFACES

COLORS AVAILABLE: Black, Red, Blue, Violet, and Green

RE-INKING: Inking is easy and takes less then one minute. Place Stamp FACE UP and pour a FEW DROPS of W-OIL-BASE INK on surface. Repeat 2 more times. The stamp will make over 20,000 Impressions and can be re-inked

USE "W"-OIL-BASE INK ONLY!

(Do Not Over-ink or allow ink to flow into mechanism)



ADJUSTABLE - RE-INKABLE

FOR ALL NON-POROUS SURFACES **HELPS STOP FORGERIES**

Required by most Manufacturing Companies, Electronics and Computer Manufacturers, also by Aircraft and Auto Parts Manufacturing Industries. The "RC" INVISIBLE STAMP is the Best Protection for any Manufacturer against Forgeries.

RE-INKING: Inking is easy and takes less then one minute. Place Stamp FACE UP and pour a FEW DROPS of INVISIBLE INK on surface. Repeat 2 more times. The Stamp will make 2000 Impressions and can be re-inked countless times. Dries in approximately 2 minutes.

RC-"Invisible **Non-Porous**" Stamps Pre-Inked

For Permanent Marking on Metal, Plastic, Glass, Celophane etc.



IVS-00 (3/8") IVS-0 (1/2") IVS-1 (3/4")

USE ONLY "INVISIBLE ADJUSTABLE - RE-INKABLE includes 1/2 oz. bottle of ink.

Also available as:

Pre-Inked "RC" Invisible "BODY" Stamps For Night Clubs, Casinos, Dance and Social, Functions, Sports Events, Amusement Parks, etc.

EGULAR RUBBER" STAMP SIZE CHAR

Stamp Pad Required

Select your Stamp Size by Number

Duplicate Stamps - Less 20% Discount

Select a size below and fill with copy and / or artwork

Stamp Pad Required		-	•	_		_		era Ready Sizes and				mp Pa
RS 1	2"↔	RS 2	3" ↔	RS 3	4"↔	RS 4	5"↔	RS 5	6"↔	RS 6	7"↔	RS
³/8" HEIGHT 🕽		3/8" ‡		3/8" 🕻		3/8" 🕽		3/8" 🕽		3/8" 🕽		3/8
RS 8	2"↔	RS 9	3"↔	RS 10	4"↔	RS 11	5" ↔	RS 12	6" ↔	RS 13	7" ↔	RS
' WIDTH ↔ 1⁄2" HEIGHT ‡	2 🕶	½"┇	3 😝	1/2"‡	4 🕶	1/2"‡	3 +	1/2"‡	0 +	1/2"‡	<i>/</i> 4	1.
RS 15		RS 16		RS 17		RS 18		RS 19		RS 20		RS
" WIDTH ↔	2"↔		3"↔		4"↔		5" ↔		6" ↔	٦	7"↔	
				2111.4		.		2011				_
¾" HEIGHT ‡		34" 🕽		3/4" \$		34" ‡		¾"↓		¾" I		3
RS 22		RS 23		RS 24		RS 25		RS 26		RS 27		RS
" <i>WIDTH</i> ↔	2"↔		3"↔		4"↔		5"↔		6"↔		7"↔	
1" неіднт ‡		1"‡		1"‡		1"‡		1"‡		1"‡		1
		RS 29		RS 30		RS 31		RS 32		RS 33		RS
" WIDTH ↔			3" ↔		4"↔		5"↔		6"↔		7"↔	
	11/2	í" HEIGHT ‡		1%"‡		1¼"‡		11/4" ‡		114"‡		11/4
	.,,											
		RS 35		RS 36		RS 37		RS 38		RS 39		RS
" WIDTH ↔			3"↔		4"↔		5"↔		6"↔		7"↔	
	1½	é" HEIGHT ‡		1½"‡		1½"‡		1½"‡		1½"‡		11/2
		RS 41		RS 42		RS 43		RS 44		RS 45		RS
" WIDTH ↔			3"↔		4"↔		5"↔		6"↔		7"↔	

EGULAR RUBBER" STAMP SIZE CHAI

Stamp Pad Required Select your Stamp Size by Number

Duplicate Stamps - Less 20% Discount

Select a size below and fill with copy and / or artwork No per Line Charge - No Charge for Camera Ready Artwork

Best Quality Stamp Pads Available in all Sizes and Ink Colors



Stamp Pad Required

Stamp Pad	
Required	

	RS 47	RS	8 RS 49	RS 50	RS 51
		40	5	0,000	
3" WIDTH ↔		4"↔	5" ↔	6" ↔	7" ↔
	2" неіднт ‡	2".	2"‡	2"‡	2"‡
	RS 52	RS	3 RS 54	RS 55	RS 56
3" width ↔		4"↔	5" ↔	6"↔	7"↔
	2½" нЕІGHT ‡	2½".	2½"‡	2½"‡	2½"‡

RS 57	RS 58	RS 59	RS 60	RS 61
3" WIDTH ↔	4" ↔	5"↔	6" ↔	7" ↔
				ĺ
З" неіднт ‡	3"‡	3"‡	3"‡	3"‡
RS 62	RS 63	RS 64	_	RS 66
3" WIDTH ↔	4" ↔	5" ↔	6"↔	7"↔
3½" HEIGHT ‡ RS 67	3½"‡ RS 68	3½"‡ RS 69	3½"‡ RS 70	3½"‡ RS 71
3" WIDTH ↔	4" ↔	5"↔	6"↔	7"↔
4 " неіднт \ddag	4"‡	4"‡	4"‡	4"‡
RS 72	RS 73	RS 74	RS 75	RS 76
3" WIDTH ↔ 4½" HEIGHT ‡	4" ↔ 4½" ‡	5" ↔ 4½" ‡	6"↔ 4½"‡	7"↔ 4½" ‡
RS 77	RS 78	RS 79		RS 81
3" WIDTH ↔	4" ↔	5"↔	6"↔	7"↔
5" HEIGHT \$	5"‡	5"‡	5"‡	5"‡



Line Numbering Stamps are excellent for repeat stamping of changing numbers.

Substitute Alphabet Bands A thru M or N thru Z in any position on special

Sketches or existing impressions can be faxed. Please call in or email for quote.

ventional self-inkir	s sizes and number of b ng stamps contain 11 ch nmp is available in BDA	ands available on self-inki aracters.) All sizes shown	ng stamps (bands o are available as ma	n No. 3 size nual stamps.		CHAR. SIZE	OF B	. NO.
ZE & STYLE	* 1"	2"	3"	4"	5"		REG.	SEL
0X Gothic	1 2 3 4 5 6 7 8	901234567	8 9 0 1			3/32"	21	20
00 Gothic	1 2 3 4 5 6 7 8					1/16"	22	19
00 Roman	1 2 3 4 5 6 7		7 8 9 0			1/16"	20	18
0 Gothic 0 Roman	1234567	890123456				1/8" 1/8"	19	19
			4 7 0 0			1.000	17	10
1 Gothic						⁵ /32"	19	1
1 Roman	123456	7890128				5/32"	15	1
2 Gothic	123456	789012	34567		1	3/16"	17	1
2 Roman	1234	567890	1234			3/16"	15	1
	107/	(7000	10711	7 7 0 0				1
21/2 Gothic	14745	001040	1234	06789	1	1/4"	19	. 1
	192	15678	901	2345				
2 ¹ /2 Roman	120		DOT	9 9 4 0		1/4"	15	1
	1034	54780	0110	31,54		-22		
3 Gothic	1474	70107	OIC.			⁵ /16"	16	1
	100	AFCH	200	100	2	8 1		
3 Roman	123	100C	590	140		5/16"	13	1
F3						0.72.0		
*BDA only	霜 部の温。	1456	780	201	7			
4 Gothic	161	イフノリ	/ 0) O T	4	7/16"	13	120
	10	OAF	CH	001	1			Ш
200	2	345	07	391			1000	
4 Roman		9 - 9		90,		⁷ /16"	-11	S
	10	71	1					8
		5/17	6/	XU		. 7	No.	2
5 Gothic	14	ノイノ			U	9/16"	10	SELF-INKING STYLE
o donno						710	10	4
	6)					7		뽕
Marie and Company of the Company		1						Z
5 Roman			U U			9/16"	8	ш
	4	7 1 6		70				BLE
		4/1/	16					∢
						44	1.3	₹
6 Gothic						11/16"	9	1
	1							NOT AVAIL
						8 1		١×
			.) /		N			
7 Gothic					'	7/8"	7	

ALPHANUMERIC STAMPS




Available in 28-Character (Alphabet-Only Band or Number+Fraction Bands) or 38-Alpha-Numeric (A-Z + 0-9 + period and dash)

Can contain up to 34 bands (in smallest band size! Create small phrases.

Requires stamp pad.


28-Character Alphabet-Only Band Size Chart



38-Character AlphaNumeric Band Size Chart

For complete versatility...each band contains 38 characters: the complete alphabet, the figures 0 through 9, plus a period and a dash. See table below for maximum capacity of bands per stamp.

To order, Specify: 1) Type Size 2) Number of Bands & 3) Style Number of Bands in the order you want them.



Shaded area indicates sizes and number of bands available on BDA Self-Inking Stamps. BDA Self-Inking Stamps are available in Gothic only.

AUTO NUMBERING MACHINES



123456

12345

Auto Numberers

An excellent tool for stamping of continuously incrementing numbers.

From 5 to 13 wheels in either 3/16" or 11/64" sizes, and two typefaces (Roman and Gothic)

Numberers contain lever to set how many presses are required to advance the number (0=never--always print same number, 1=advance after single press, 2=advance after 2 presses, etc).

Stamp Pad is required.

Tally Counter

Handy for keeping accurate count manually. Counts up to 9999 times.



	Pro-Line Heavy-Duty Numbering Machine											
MODEL	WHEELS	MOVEMENTS	AUTO MOVEMENTS	TYPESTYLE	STYLE	SIZE						
A-01	10 wheels	Lever Action	6 wheels	1234567890	Roman	3/16"						
A-31	13 wheels	0,1,2	6 wheels	1234567890123	Roman	11/64"						
A-21	12 wheels	0,1,2	6 wheels	123456789012	Roman	11/64"						
A-11	11 wheels	0,1,2	6 wheels	12345678901	Roman	3/16"						
B-37	10 wheels	0,1,2	6 wheels	1234567890	Roman	11/64"						
B-71	9 wheels	0,1,2,3,4,6,12	6 wheels	123456789	Roman	11/64"						
B-78	8 wheels	0,1,2,3,4,6,12	6 wheels	12345678	Roman	3/16"						
C-77	7 wheels	0,1,2,3,4,6,12	6 wheels	1234567	Roman	11/64"						
C-71	6 wheels	0,1,2,3,4,6,12	6 wheels	123456	Roman	3/16"						
C-72	6 wheels	0,1,2,3,4,6,12	6 wheels	123456	Gothic	3/16"						
C-75	6 wheels	0,1,2,3,4,6,12	5 wheels	A12345	Roman	3/16"						
D-51	5 wheels	0,1,2,3,4	5 wheels	12345	Roman	11/64"						
MM-21	6 wheels	0,1,2,3,4	5 wheels	123456	Gothic	3/16"						

	Standard-Duty Numbering Machine										
MODEL WHEELS MOVEMENTS AL		AUTO MOVEMENTS	TYPESTYLE	STYLE	SIZE						
70005	5 wheels	0,1,2,3,4,6,12	5 wheels	01234	Roman	11/64"					
70006	6 wheels	0,1,2,3,4,6,12	6 wheels	012345	Roman	3/16"					

Water and Oil Base Inks

"W" Oil-Base Marking Ink

Deep, vibrant impression colors

- Colors Available: Black, Red, Blue, Green, or Purple
- Premium oil-base stamp ink for easy re-inking
- Resists drying for prolonged inking life for more impressions per re-inking
- For Pre-Inked stamps, NOT for stamp pads or self-inkers or FastLight
- Use only with: "W" Pre-Ink Stamps and RC Lipstick Stamps



"W" Water-Base Marking Ink

For Manual Stamping and Self-Inks

- Colors Available: Black, Red, Blue, Green, or Purple
- For Ink Pads and Self-Inking type stamps, NOT for pre-inked stamps
- Premium water-base stamp ink for easy re-inking
- · Resists drying for prolonged inking life
- · Works well in hot and humid environments
- Available in 2 oz size, quart, or gallon.
- For use with: W FastStamps, Die Plates, Inspection, Regular Rubber and Pads



FastLight Oil-Base Ink

Special Formula for FastLight Brand

- Colors Available: Black, Red, Blue, Green, or Purple
- Quick-dry formula -- dries in 20 seconds or less
- Premium oil-base stamp ink for easy ink/re-ink of FastLight series
- Deep, vibrant colors for your stamp impressions
- · Resists drying for prolonged inking life and more impressions per re-inking
- Use only with FastLight Brand Pre-Ink Stamps



FastLight Indelible Ink

Indelible Formula for FastLight Brand

- · Colors Available: Black, Red, Blue, Green, or Yellow
- Permanent marking -- requires acetone, alcohol or paint thinner to remove
- For non-porous surfaces such as glass, metal, ceramics, hard plastic, etc
- SAFE for CDs, celophane, soft plastics, glossy photos, polished surfaces, etc.
- Use only with FastLight Brand Pre-Ink Stamps





Special Marking Inks

Non-Porous "W" Super Ink

For Permanent Parts Marking

- Colors Available: Black, Red, Blue, Green, Yellow, White
- Special formula non-porous ink is permanent ink for non-porous surfaces
- · Excellent for inspection purposes and permanent industrial parts marking
- · Permanent: not affected by oil or water and resists cleaning agents
- Also known as "W" Non-Porous Permanent Ink
- Also available in invisible formula: ultraviolet reactive glows with UV light
- Use only with "W" Super Stamps



Indelible Invisible Ink

For Permanent Parts Marking For Use with Ultra-Violet Light

- Special formula invisible super ink is permanent ink for non-porous surfaces
- This ink is the U.V. (invisible) version of our Non-Porous "W" Super Ink
- Invisible ink formula is ultraviolet reactive: glows Orange-Yellow with UV light
- Excellent for inspection purposes and permanent industrial parts marking
- Completely invisible to regular light \endash perfect for surreptitious marking
- Permanent: not affected by oil or water and resists cleaning agents
- Also known as "W Super" Invisible Ink



Invisible Body Ink

For Use with Ultra-Violet Light

- Completely invisible to regular light -- only visible under U.V. light
- Tested and approved for safe use on skin, but recommended only for hands and forearms
- Super fast drying: dry-to-touch within fifteen seconds of application
- Invisible ink formula is ultraviolet reactive: glows Orange-Yellow with UV light
- · Semi-permanent: water and sweat resistant, but washes off with soap and water
- Self-evaporating: impression will evaporate and disappear in three to five days
- Excellent for entry/exit marking for amusement parks, clubs, fairs, etc.
- Also known as Invisible Indelible Body Ink



"W" Ink Reactivator

Rejuvinates Stamp Impression Surface

- Also known as stamp Thinner or "Rejuvinator"
- Removes permanent impression markings made by non-porous permanent inks
- Removes non-porous ink buildup on stamp surface to rejuvinate impression quality



Inks to Stamp, Sizes, Colors

Ink-to-Stamp Cross Reference

Ink - Stamp XRef "W" Oil-Base "W" Rubber Stamp	O'er	1. NO.	Insper	K delt	12.5 12.5 12.5	800, 1/87	A AL	W. Inv.	12, 10V.		gody
Ink - Stamp XRef	3	DE STO	74	(O)	(O/),	OBY	104	Jo J	ad .	dy \	00%
"W" Oil-Base											
"W" Rubber Stamp											
FastLight Oil-Base											
FastLight 510 Indelible											
Non-Porous "W" Super											
Indelible Invisible											
Invisible Body											
"W" Ink Reactivator											

Ink Sizes	1/4	1/2	1oz	2oz	4oz	8oz	Pint	Qt	Gal
"W" Oil-Base	0	0	0	0	0	0	0	0	0
"W" Rubber Stamp				0				0	0
FastLight Oil-Base			0	0				0	0
FastLight 510 Indelible				0					
Non-Porous "W" Super	0	0	0	0		0	0	0	0
Indelible Invisible	0	0	0	0		0	0	0	0
Invisible Body	0	0	0	0		0	0	0	0
"W" Ink Reactivator	0	0	0	0		0	0	0	0





Ink Colors	Black	Red	Blue	Green	Purpl	Yellw	White			
"W" Oil-Base										
"W" Rubber Stamp										
FastLight Oil-Base										
FastLight 510 Indelible							0			
Non-Porous "W" Super							0			
	Indelible Invisible Glows Orange-Yellow with UV Light									
Invisible Body	Glows Green* with UV Light									
#lood de the look in the look of the second like	/!		0	- II . C		L 1114				

*Invisible Body ink has other UV glow colors. Call for availability.

Note: Actual packaging and labeling may look different than sample images and will depend upon bottle availability.

Other Inks Available Upon Request:

Ink In Special Colors
Price Marking Ink
Postage Marking Ink
Frozen Food Package Ink
Meat and Cheese Marking
Acid-Base Inks
High Temperature Ink
Indelible Laundry Ink
Can't Find It? Call & Ask

Relnking and Impression Adjustment

ADJUSTING "W" STAMPER

We have Adjusted your stamp to print clearly. If you wish to print *Lighter*, turn adjusting wheel to the *right* (*clockwise*), for **Darker**, turn adjusting wheel to the **left** (**counter-clockwise**).

Do Not adjust too heavy because it will squeeze the ink out faster and you will not get a clear imprint. Do not bang or slam the stamp to make an impression. Just press firmly and release quickly.



Turn One Notch at a time and test impression

RE-INKING "W" STAMPER

Your "W" Stamper has been tested to give you over 25,000 clear impressions without re-inking. However, if your stamp requires re-inking. use "W" Oilbase Ink only.

No other ink will work and may damage the stamp. "W" Oil-base Ink is available from your Rubber Stamp Manufacturer.

Turn Stamp upside-down, uncap, and saturate surface with "W" Oil-base Ink. Let soak in and repeat one more time.

Adjust your stamp impression if required as described at left.



ADJUST "W" SUPER STAMP

We have Adjusted your stamp to print clearly. If you wish to print *Lighter*, turn adjusting wheel to the *right* (*clockwise*), for **Darker**, turn adjusting wheel to the **left** (**counter-clockwise**).

Do Not adjust too heavy because it will squeeze the ink out faster and you will not get a clear imprint. Do not bang or slam the stamp to make an impression. Just press firmly and release quickly.



Turn One Notch at a time and test impression

RE-INKING W-SUPER STAMP

Your Non-Porous W-Super Stamp has been tested to give you over 2,000 clear impressions without re-inking. However, if your stamp requires re-inking, use W-Super Stamp Ink only.

No other ink will work and will damage the stamp. W-Super Stamp Ink is available from your Rubber Stamp Manufacturer.

Turn Stamp UPSIDE-DOWN, REMOVE CAP and carefully squeeze a FEW DROPS of W-Super Ink on the surface. Let ink soak in and repeat two more times. DO NOT let ink OVERFLOW into the stamp holder. It will damage your stamp. Adjust your stamp according to instructions at left.

We will not be held responsible for free replacement unless these instructions are followed.



ADJUST RC LIPSTICK STAMP

We have Adjusted your stamp to print clearly. If you wish to print *Lighter*, turn adjusting wheel to the *right* (*clockwise*), for **Darker**, turn adjusting wheel to the **left** (**counter-clockwise**).

Do Not adjust too heavy because it will squeeze the ink out faster and you will not get a clear imprint. Do not bang or slam the stamp to make an impression. Just press firmly and release quickly.



Turn One Notch at a time and test impression.

RE-INKING RC LIPSTICK STAMP

Your RC-Lipstick Stamp has been tested to give you over 25,000 clear impressions without re-inking. However, if your stamp requires reinking. use "ELITE INK" only.

No other ink will work and may damage the stamp. Elite Ink is available from your Rubber Stamp Manufacturer.


Turn Stamp upside-down, uncap and saturate surface with Elite Ink. Let soak in and repeat one more time. Let ink soak in. Adjust your stamp according to instructions at left.



STEEL STAMPS

Made with Best Quality "Highspeed Steel" FOR HAND & MACHINE STAMPING

"The Best Quality Steel Stamp anywhere in the World"
"Better then Any Stamp you have ever used — We guarantee it!"
Please Call for Quotation



OUR QUALITY: Highspeed Steel Stamps will outlast Regular Steel Stamps by 2 to 3:1. Eliminates Costly Production Breakdowns, Saving you Time and Money. Highspeed Steel Stamps are guaranteed to be the finest quality available in the world.

EQUIPMENT AVA


FOR MACHINE STAMPING

We furnish Equipment and Tooling to your exact specifications Please Call for Quotation



STEEL STAMP "SIZE SELECTION CHART

Size	Extended	Medium Cond	Standard	Condensed
1/32	ABCDEFGHUKLMHOPGRSTUVWXYZ1234567	ARCOCF GALIAL MADPORSTLYWEIZ LZZMSE PARCOCF GALIACO	ABCDEFGHLIKLMNOPQRSTUVWXYZ1234147AB	ABCDEFORURLMNOPQRSTUVWKYZ1Z3MS67ABCDRFCHURLMO
3/64	ABCDEFGHUKLMNOPQRSTUV	ABCDEFGHUKLMNOPQRSTUVWXYZ123456	ABCDEFGHIJKLMNOPQRSTUVWX	
1/16	ABCDEFGHIJKLMNOP	ABCDEFGHIJKLMNOPQRSTUVW	ABCDEFGHIJKLMNOPQR	5 40 0 40 5 2 2 10 10 4 10 10 10 10 10 10 10 10 10 10 10 10 10
5/64	ABCDEFGIM123	ABCDEFGIM12345	ABCDEFGIM123	
3/32	ABCDEFGIM1	ABCDEFGIM12.	ABCDEFGIM	A CONTROL OF THE CONT
1/8	ABCDEFG	ABCDEFGIM	ABCDEF(ABCDEFGIM
5/32	ABCDEF	ABCDEFO	ABCDEF	ABCDEFG
3/16	ABCDE	ABCDEF	ABCDE	ABCDEF
1/4	ABCE	ABCDE	ABCI	ABCDI
5/16	ABC	ABCI	ABC	ABCI
3/10	A D C	1 RC	1 A R	ARC
3/8	7	Y DC	7 7	4 DC
	$ / \rangle \square $	$\wedge \bowtie$	/\ -	$ \land \bowtie \land$
1/2		\vdash	$ \mathcal{A} L $	ADI



"SHARP FACE" IS BEST FOR MOST APPLI-CATIONS AND EASIEST TO STAMP.


"FLAT FACE" REQUIRES MORE IMPACT AND IS MORE DIFFICULT TO STAMP.

"ROUND FACE" IS REQUIRED FOR AIR-CRAFT PARTS, PRESSURE TANKS ETC.

BRANDERS "

CUSTOM MADE TO ORDER

FOR MARKING WOOD, PLASTIC & LEATHER



NGRAVED S

Laser or Machine Engraved to your Exact Specifications

Large variety of engraving stock availble, or simply provide your ownstock.






Name Badges



Desk Signs and Deluxe Wedges



Name Plates



Door or Door Mounts and Sign Inserts







Engraved Plaques and Awards



Engraved Plastic Signs



More stock is available. You may provide your own stock or bring samples for matching.

SEAL / EMBOSSERS

CUSTOM ENGRAVED

Engraved to your exact specification

For Hand (Pocket) or Desk

Notary, Corporate, Engineer, Architect or Professional Service, Name & Address, Special Projects or Custom Artwork Desk Model Available in Extra Long-Reach





PEG STAMPS



Great for Hard-to-Reach Places

Wood peg for high durability.

Can be pole-mounted to extend reach.



May be drilled, strapped or glued for complex or unique stamping projects.

Impression surface may be any size and shape -- not constricted by sizing charts.



RIBTYPE TYPE SETS

In the RIBtype® system, ribs on the back of the type interlock with ribs on the marking device. This allows for fast changes of text, which is ideal for date coding and lot number changes. Graphics can also be incorporated in the type for product and brand identification.







Sample of an entire Ribtype Alphabet

Available in Four Basic Typesfaces:

"A" - Regular Typestyle (Trade Gothic Regular)

"B" - Regular, Condensed (News Gothic Roman Condensed)

"U" - Bold (CG Alpin Gothic #3)

"G" - Bold, Condensed (CG Alpin Gothic #1)

See the next page for type samples, sizes and corresponding item numbers

Order by Selecting a type style (A, B, U, or G), and type size from the next page. Once you know your type style and have selected a size, find the correct item number, such as "A17", "B10", "U77", or "G78."

Then, select your type set of choice from the right-most chart on the next page. For example, if you want an Alpha-numeric set, choose the "T" 5A or "T" 3A set. The right-most chart indicates that the "T" 5A set contains 136 pieces, and also shows how many of each character are in this set.

Available in Four Materials for Various Impression Conditions



NATURAL RUBBER: is best for general purpose use with alcohol and water-based inks. It is available in standard 50 durometer or soft 30 duro.

BLACK BUNA: This oil and acid resistant material is best for use with oil-based inks or when the type is exposed to petroleum products.

GREEN PVC: This oil and acid resistant for printing small text on plastic or film and for printing on abrasive surfaces such as Tyvek or brake shoes.

SILICONE: This blue-and-white material is for use with thermal ink-transfer printers and for hot stamping.

CTVLE	TYPE SAMPLE	Typo	No	Similar
STYLE &	Showing approximate	Type Face	No. of	to other
& SIZE	characters per inch	Height	Ribs	Nos.
A7	RIBTYPE 123456789012	1/16" 1.59mm	2	07
A8	RIBTYPE 1234567	5/64" 1.98mm	2	08
A9	RIBTYPE 12345	7/64" 2.78mm	2	09
A10	RIBTYPE 123	1/8" 3.18mm	2	010
A11	RIBTYP 123	9/64" 3.57mm	2	011
B11	RIBTYPE 123456	9/64" 3.57mm	2	011C
A12	RIBTY 12	3/16" 4.76mm	2	012
B12	RIBTYPE 123	3/16" 4.76mm	2	012C
A13	RIBTY1	1/4" 6.35mm	3	013
B13	RIBTY 12	1/4" 6.35mm	2	013C
A14	RIB12	5/16" 7.94mm	3	014
B14	RIBTY3	5/16" 7.94mm	3	014C
A15	RIB3	3/8" 9.53mm	3	015
B15	RIBT4	3/8" 9.53mm	3	015C
A15 ¹ / ₂	R14	7/16" 11.1mm	4	0151/2
A16	RI2	1/2" 12.7mm	4	016
B16	RA-3	1/2" 12.7mm	4	0160
A17	R2	5/8" 15.9mm	5	017
B17	RA1	5/8" 15.9mm	5	0170
A18	R1	3/4" 19.0mm	6	018
B18	R-1	3/4" 19.0mm	6	018C

OTVL E	TVDE OAMBLE	Г т	NI.	I 0: 11
STYLE & SIZE	TYPE SAMPLE showing approximate	Type Face	No. of	Similar to other
U70	characters per inch	Height 1/8"	Ribs 2	Nos.
U71	RIBTYPE 12343	3.18mm 5/32"	2	070
	RIBTY 123	3.97mm 3/16"		071
U72		4.76mm	2	072
U73	RIBT 123	1/4" 6.35mm	2	073
G73	RIBTYP 123	1/4" 6.35mm	2	073C
U74	RIBT12	5/16" 7.94mm	3	074
G74	RIBTY 12	5/16" 7.94mm	თ	074C
U75	RIB 23	3/8" 9.53mm	3	075
G75	RIBT12	3/8" 9.53mm	3	075C
U76	RI13	1/2" 12.7mm	4	076
G76	RIB12	1/2" 12.7mm	4	076C
U77	RI3	5/8" 15.9mm	5	077W
G77	RIB1	5/8* 15.9mm	5	077
U78	R2	3/4" 19.0mm	6	078W
G78	RI3	3/4" 19.0mm	6	078
U79	R1	15/16" 23.8mm	7	
G79	R3	15/16" 23.8mm	7	079

-	=	=	=	=	=	-
I	I	T	يت	重	逪	HA
힣	P	4F	5	3 <i>A</i>	54	AC.
Va	Va	N	×	se	se	要
lue.	lue	ımı	IM.	ts	S	S
P	Pa	ber	ber	3	5	<u>A</u>
3Ck	CK	Ass	Ass	2	4	w
S	2	ort	ort	3	5	C
III	m	me	те	2	4	D
341	be	nt I	nt i	4	6	Ш
7	A	0	01	2	4	TI
SS	SSC	Sty	Sty	2	4	Ð
ort	TT.	les	les	2	4	I
me	ne	AI	Al	3	5	_
nt	nt .	2 2	1 a	2	2	٦
Fo	For	pu	nd	1	N	7
S	S	La	Sn	2	5	_
"F-VP" Value Pack Number Assortment For Styles A12 and Larger	"F-VP" Value Pack Number Assortment For Styles A11 and Smaller	"F" 4F Number Assortment For Styles A12 and Larger	"F" 5F Number Assortment For Styles A11 and Smaller	"T" 3A sets 3 2 3 2 4 2 2 3 2 1 2 2 3 3 2 1 2 2 3 3 2 1 2 2 3 3 2 2 1 3 3 2 2 2 2	"T" 5A sets 5 4 5 4 6 4 4 4 5 2 2 5 3 5 5 4 2 5 5 5 3 2 3 2 3 2 3 2 2 2 2 2	CHARACTERS: ABCDEFGHIJKLMNOPQRSTUVWXYZ12345
es	Se	7	er	а	Ωī	=
AI	41		- 8	3	CI	0
10	1 8		- 8	22	4	F
an	ma		8	1	7	0
7.1	S		9	-	(7)	F
arg	ma		3	3 (5	20
er	lle		3	3 :	01	0,
- 20	7			3	51	_
				2	3	_
				2	2	5
			4	2	3	>
				1	2	×
				2	3	~
				_	2	Z
12	15	4	5	အ	3	_
12	15	4	5 5 5 5	2	2	2
12	15	4 4 4	5	2	2	3
12	15	4	5	2	2	4
12 12 12 12 12	15 15 15 15 15 1	4	S	2	12	5
12	15	4	5	2	2	6
12	15	4	5	2	2	7
12	15	4	5	2	2	8
12	15	4	5	2	2	9
12	15	4	5	အ	З	0
6	o	2	2	4	4	
ယ	ယ	1	_	ω	4	,
				4	ω	•
		SW.		_	_	Qo.
ω	သ	_		_	_	€9
				_	2	,
ယ	3	_	-			/
3	3	_	_		10	10
138	168	46	56	94	136	Total Pieces

Typeset Contents

Type Sizes, Styles and Item Numbers

Note: samples above are slightly smaller than actual size -- graph was scaled to fit catalog page.

STAMP SIZE COMPARISON VS FONT SIZES

Most Sizes are available at your request. We also make Stamps direct from your Artwork

CENTERED

Stamp & Marking Products For Office or Factory

FLUSH LEFT

Stamp & Marking Products For Office or Factory

FLUSH RIGHT

Stamp & Marking Products For Office or Factory

Popular Font Styles Type Size Comparison

Size 8 Arial Font **Bolded** Underlined *Italicized*

Size 8 Helvetica Font **Bolded** <u>Underlined</u> *Italicized*

Size 8 Times Font Bolded Underlined Italicized

Size 10 Arial Font Bolded Underlined Italicized

Size 10 Helvetica Font Bolded Underlined Italicized

Size 10 Times Font Bolded Underlined Italicized

Size 12 Arial Font **Bolded** Underlined *Italicize*

Size 12 Helvetica Font Bolded Underlined It

Size 12 Times Font **Bolded** <u>Underlined</u> *Italicized*

Size 14 Arial Font **Bolded** Underlined

Size 14 Helvetica Font Bolded Underl

Size 14 Times Font **Bolded** Underlined *It*

Size 16 Arial Font **Bolded** Underlin

Size 16 Helvetica Font Bolded Un

Size 16 Times Font **Bolded** Underlin

Size 18 Arial Font **Bolded** Un

Size 18 Helvetica Font Bolded

Size 18 Times Font **Bolded** <u>Und</u>

Size 20 Arial Font **Bolded**

Size 20 Helvetica Font Bol

Size 20 Times Font **Bolded**

Size 22 Arial Font Bolde

Size 22 Helvetica Font B

Size 22 Times Font Bolde

Helvetica Type Font Sizes

6 POINT TYPE IN HELVETICA TYPE STYLE 5 POINT IN HELVETICA TYPE ST. 8 POINT TYPE IN HELVETICA TYPE STYLE 8 PT. IN H 10 POINT TYPE IN HELVETICA TYPE STYLE 12 POINT TYPE IN HELVETICA TYPE 14 POINT TYPE IN HELVETICA 18 POINT TYPE IN HELV 20 POINT TYPF IN HF 22 POINT TYPE 24 POINT TYPF IN 48 P L

POPULAR FONT SAMPLES COMPARISON

Order your Rubber Stamps by Specifying a Font Name

We can make your Stamp Font Size Larger or Smaller, Lighter or Bolder, etc... Unless otherwise specified — we will Center your Stamp Copy.

Samples Style

Horizontal Condense/Expand 14 pt Type by Percent 70% The guick brown fox jumped over the lazy 85% The quick brown fox jumped over the

100% The quick brown fox jumped o 115% The quick brown fox jumped

130% The quick brown fox jump

Horizontal Condense/Expand changes both the character shape and white space equally

Tracking for 14 pt Type by Tight to Loose

very tight. The quick brown fox jumped over tight The quick brown fox jumped ove normal The quick brown fox jumped ov loose The quick brown fox jumped o very loose The quick brown fox jumped Tracking does not change the character shape and only reduces the white space between letters

Line Height Samples with 14 point Arial type

line ht:16.8 line ht:14 line ht:12 line ht:10 1.QqPp 1.QqPp 1.QqPp 2.QqPp 2 ĞğJj 3 YyQq 2.GgJj 2.GgJi 3.YyQq

3.YyQq Line height does not alter character dimensions, but affects the vertical whitespace between lines

Bolding Samples with 14 point Swiss type

Swiss 14 Point Regular

Swiss 14 Point Bold

Swiss 14 Point "Heavy"

Swiss 14 Point "Black" Swiss 14 Point Black+Bold

Font variations may include "heavy" and "black," which can themselves be bolded even further

12 point font samples displaying spacing differences

The quick brown fox jumped over the lazy dog

The quick brown fox jumped over the lazy

The quick brown fox jumped over the lazy

The quick brown fox jumped over the lazy

The quick brown fox jumped over the Fonts have their own natural size and spacing aspects

Examples of Popular Fonts in 14 Point

AaGgJjYyZz0123 American Typewriter

AaGgJjYyZz0123 Arial

AaGgJjYyZz0123 AvantGarde

AaGgJjYyZz0123 Bauhau/

AaGgJjYyZz0123 Bodoni

AaGgJiYyZz0123 Broadway

AaGgJjYyZz0123 Comic Sans

AaGgJjYyZz0123 Courier New

AaGgJjYyZz0123 Egyptian 505

AaGqJjYyZz0123 Eras Medium

AaGgJjYyZz0123 Franklin Gothic Book

AaGgJjYyZz0123 Futura Liaht

AaGgJjYyZz0123 Garamond

AaGgJjYyZz0123 Georgia

AaGgljYyZz0123 Gill Sans

AaGgJjYyZz0123 Gourmand

AaGgJjYyZz0123 Helvetica

AaGqJjYyZz0123 Humanist777

AaGgJjYyZz0123 Impact

AaGgJjYyZz0123 ITCAvantGarde

AaGqJjYyZz0123 Kabel BK

AAGGJJYYZZO123 LITHOGRAPH

AaGgJjYyZz0123 Lucida Sans

AaGgJjYyZz0123 Microsoft Sans

AaGgJjYyZz0123 Monotype Corsiva

AaGgJjYyZz0123 News Gothic

AaGgIjPyZ30123 Old English

AaGgJjYyZz0123 Palatino

AaGgJjYyZz0123 Schindler

AaGgJjYyZz0123 Swiss 721

AaGgJjYyZz0123 Times New Roman

AaGqJjYyZz0123 Trebuchet MS AaGgJjYyZz0123 Verdana

STAMP SAMPLES/EXAMPLES IN VARIOUS FONTS

Order your Rubber Stamps by Specifying a Font Name We can make your Stamp Font Size Larger or Smaller, Lighter or Bolder, etc... Unless otherwise specified — we will Center your Stamp Copy.

Stamp Samples

Sample #1 (Friz Quadrata - Bold)

WESTERN STAMP, INC. 7724 BURNET AVE. **VAN NUYS, CA 91405**

Sample #2 (Swiss 721 Bold Cond Outline)

Washington University

Campus Box 1143

St. Louis, MO 63103

Sample #3 (Swiss 721 Bold Outline)

UCLA MEDICAL GROUP 2428 Santa Monica Blvd Santa Monica, CA 90404

Sample #4 (Palatino - Bold)

BOSTON PHILHARMONIC

295 Huntington Avenue #210 Boston, MA 02115

Sample #5 (Palladius - Bold)

Sony Pictures Releasing 1300 E. Lookout Drive Richardson, TX 75082

Sample #6 (American Typewriter - Bold)

YELLOW CAB

32 N. Stewart Street Amsterdam, NY 12010

Sample #7 (American Typewriter Condensed - Bold)

JEFF R. MATILSKY, DDS 1110 NW 8TH AVENUE #A GAINESVILLE, FL 32601

Sample #8 (Brush Script)

Anchor Travel, Inc. 591 Beverage Hill Avenue Pawtucket, RI 02861

Sample #9 (3-Line Bank Stamp)

FOR DEPOSIT ONLY SYLVESTER STALINA, LLC. 76-972350-9231

Sample #10 (5-Line Bank Stamp)

Pay to the Order of Sanwa Bank For Deposit Only DR DWIGHT W. ELMAN 122-453799-00

Stamp Samples

Sample #11 (Amazone BT)

South Valley Community Church 1861 W. 7800 Street West Jordan, UE 84088

Sample #12 (Bernhard Tango - Bold)

Morgan's Computer 10 SW first Avenue Lawton, OK 73501

Sample #13 (Zapf Chanchery)

CAPITOL BEVERAGE CO. 60 PILSNER PLACE CHARLESTON, WV 25312

Sample #14 (Cooper Lt/ BT)

Larry Steel & Associates 365-D Springs Street Lopez Island, WA 98261

Sample #15 (Park Avenue)

Cherry Gulch Ranch 3770 E. Black Canyon Highway Emmett, ID 83617

Sample #16 (Quill Script)

City of Syracuse 495 Midland Avenue Syracuse, NE 68446

Sample #17 (Freehand 471)

MARATHON CRUISES 515 SOUTH 3RD STREET WAUSAU, WI 54401

Sample #18 (Old English Text MT)

Santa Christmas Village 878 High Street Auburn. CA 95603

Sample #19 (Script MT)

Angelina M. Kim 1117 Perimeter Center West Atlanta, GA 30338

Sample #20 (Kaufmann BD BT)

Laser Care Products 1285 Baring Boulevard #125 Sparks, NV 89434